

**WHITE FLINT PHARMACY**  
**11125 Rockville Pike , Rockville , MD , 20852**  
**Phone#: 3018813828 Fax#: 3017709629**

**Drug NDC: 45945-0151-01**  
**Drug Name: GABLOFEN**

**What is this medicine?**

BACLOFEN (BAK loe fen) is a muscle relaxer. It is used to treat severe spasms.

**This medicine may be used for other purposes; ask your health care provider or pharmacist if you have questions.**

**How should I use this medicine?**

This medicine is for injection into the space around the spinal cord. It can be given by a health care professional in a clinic or hospital setting. Patients can also have a pump implanted into their back for a continuous infusion. Talk to your pediatrician regarding the use of this medicine in children. While this drug may be prescribed for children as young as 4 years old for selected conditions, precautions do apply.

**Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.** NOTE: This medicine is only for you. Do not share this medicine with others.

**What should I tell my health care provider before I take this medicine?**

They need to know if you have any of these conditions: bleeding disorders, diabetes, mental illness, kidney disease, recent stroke, seizures, an unusual or allergic reaction to baclofen, other medicines, foods, dyes, or preservatives, pregnant or trying to get pregnant, breast-feeding

**What if I miss a dose?**

It is important to keep your appointments to have this medicine administered or to refill your pump. If you cannot make your appointment, contact your health care provider to make other arrangements.

**Where should I keep my medicine?**

This drug is given in a hospital or clinic and will not be stored at home.

**NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.**

**What should I watch for while using this medicine?**

Tell your doctor or health care professional if your symptoms do not start to get better or if they get worse. Do not suddenly stop taking your medicine. If you do, you may develop a severe reaction. If your doctor wants you to stop the medicine, the dose will be slowly lowered over time to avoid any side effects. Follow the advice of your doctor. You may get drowsy or dizzy. Do not drive, use machinery, or do anything that needs mental alertness until you know how this medicine affects you. Do not stand or sit up quickly, especially if you are an older patient. This reduces the risk of dizzy or fainting spells. Alcohol may interfere with the effect of this medicine. Avoid alcoholic drinks. If you are taking another medicine that also causes drowsiness, you may have more side effects. Give your health care provider a list of all medicines you use. Your doctor will tell you how much medicine to take. Do not take more medicine than directed. Call emergency for help if you have problems breathing or unusual sleepiness.

**What side effects may I notice from receiving this medicine?**

Side effects that you should report to your doctor or health care professional as soon as possible: allergic reactions like skin rash, itching or hives, swelling of the face, lips, or tongue; breathing problems; changes in emotions or moods; changes in vision; chest pain; fast, irregular heartbeat; feeling faint or lightheaded, falls; hallucinations; loss of balance or coordination; ringing of the ears; seizures; trouble passing urine or change in the amount of urine; trouble walking; unusually weak or tired. Side effects that usually do not require medical attention (report to your doctor or health care professional if they continue or are bothersome): changes in taste; confusion; constipation; diarrhea; dry mouth; headache; muscle weakness; nausea, vomiting; trouble sleeping

**This list may not describe all possible side effects. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**